

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
EMILYS WOOD FIRED PIZZA	REGULAR	2018-07-03	No	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				3-305.11	Food not protected from contamination during storage.	N
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				5-203.14	Backflow prevention device not installed when required.	C
ALL AMERICAN WOOD FIRED PIZZA	REGULAR	2019-05-02	No		No Violations	
ALL AMERICAN WOOD FIRED PIZZA	REGULAR	2021-09-21	No	4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				6-304.11	Insufficient ventilation provided.	N
ALL AMERICAN WOOD FIRED PIZZA	REGULAR	2022-10-25	No		No Violations	
ALL AMERICAN WOOD FIRED PIZZA	REGULAR	2023-09-18	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C