

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
LITTLE CAESARS	REGULAR	2019-11-22	No	6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.12	The physical facilities are not clean.	N
LITTLE CAESARS	REGULAR	2021-05-20	No	4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				2-304.11	Outer clothing not clean.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-501.18	Wash, rinse, and/or sanitize solutions are not clean.	N
				5-202.13	Air gap required.	C
				6-501.114	The premises is littered / unnecessary equipment and articles present.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.15	Food preparation sink, hand washing sink or ware washing equipment contaminated by unacceptable use.	C
				6-202.12	Ventilation may cause food contamination.	N
LITTLE CAESARS	REGULAR	2023-11-16	No	3-501.17.(B). (E).(F)	Refrigerated, Ready-to-Eat PHF prepared and packaged by a Food processing Plant not clearly date marked according to code at the time the original container was opened and held for more than 24 hours.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				4-501.11	Equipment in disrepair.	N
				4-101.19	Nonfood contact surfaces of equipment that requires frequent cleaning not constructed of a corrosion-resistant, nonabsorbent, and smooth material.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-501.113.(B)	Receptacles used outside that contain food residue not kept covered with tight-fitting lids or doors.	N
				6-501.16	Mops are not being properly stored.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.11	The physical facilities are in disrepair.	N
				6-202.12	Ventilation may cause food contamination.	N