

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
LEWISTON HEALTH CLUB & SPA POOL	REGULAR	2020-02-06	No	5.B.1	Pool data sheet not posted and/or does not contain required information.	N
				6.C.1	Depth markers not present, not conspicuously marked at or above the waterline, on the vertical pool wall, and/or on top of the coping, or on the edge of the deck or on the walk next to the pool.	C
				6.D.5	First aid kit, including barrier protection (gloves and rescue breathing), not available at all times.	C
LEWISTON HEALTH CLUB & SPA POOL	REGULAR	2020-02-06	No	5.B.1	Pool data sheet not posted and/or does not contain required information.	N
				3.A.3	Routine operating procedures not posted and/or available for viewing by the Department.	C
				6.D.5	First aid kit, including barrier protection (gloves and rescue breathing), not available at all times.	C
Y @ HEALTH CLUB & SPA POOL	NEWOWNER	2021-12-29	No	5.B.1	Pool data sheet not posted and/or does not contain required information.	N
Y @ HEALTH CLUB & SPA POOL	NEWOWNER	2021-12-29	No	5.B.3	Disinfectant feeder not installed, not functioning properly, prohibited feeding of a supplemental sanitizer through skimmer basket is allowed, supplemental sanitizer added directly into the pool when in use, supplemental feeding of sanitizer not done in accordance with manufacturers directions, forbidden undissolved sanitizers found in skimmer basket while pool or spa in use, and/or prohibited stabilized chlorine used for indoor pools.	N
				5.B.1	Pool data sheet not posted and/or does not contain required information.	N
Y @ HEALTH CLUB & SPA POOL	NEWOWNER	2021-12-29	No	5.B.1	Pool data sheet not posted and/or does not contain required information.	N
				6.G.1	Valves not tagged with metal or rigid plastic tags.	N