

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
EAUX	FOLLOW_UP_FULL	2018-10-11	No		No Violations	
EAUX	REGULAR	2019-05-24	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-101.11.(A)	Material used in construction of utensils or food contact surfaces of equipment is not safe.	C
				6-501.12	The physical facilities are not clean.	N
EAUX	REGULAR	2020-02-19	No	5-205.11.(A)	Hand wash facility not accessible.	N
				3-302.11.(A).(1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				3-603.11.(A)	There is no consumer advisory.	C
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N
CRISPY GAI	REGULAR	2022-03-01	No	4-204.112.(A)	Temperature measuring device not properly located.	N
CRISPY GAI	REGULAR	2023-03-30	No	7-201.11	Improper storage of poisonous or toxic materials.	C
				4-204.112.(B).(C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				3-305.11	Food not protected from contamination during storage.	N
				6-501.14.(A)	Ventilation not clean.	N
CRISPY GAI	REGULAR	2024-03-27	Yes	2-102.11.(A).(B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				3-301.11.(A).(B).(D)	Food employees are handling ready to eat foods with bare hands.	C
				4-501.112	Unacceptable hot water sanitization temperature(s) for mechanical ware washing.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				5-501.16.(C)	A waste receptacle is not located at each hand washing lavatory or group of adjacent lavatories when disposable towels are used.	N