

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
GREAT SALT BAY SCHOOL	REGULAR	2018-09-26	No	5-501.17	Covered receptacle not provided. (Female use)	N
				6-202.12	Ventilation may cause food contamination.	N
GREAT SALT BAY SCHOOL	REGULAR	2019-09-30	No	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				2-402.11	Food Employees not wearing effective hair restraints.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
GREAT SALT BAY SCHOOL	REGULAR	2022-11-01	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-101.11.(D)	Utensils or equipment food contact surfaces not smooth / easily cleanable.	N
				4-402.11	Unacceptable installation of equipment.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
GREAT SALT BAY SCHOOL	REGULAR	2024-03-19	No	3-306.11	Food on display not protected by packaging, service line, food guards, or display cases.	C