

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
SOAKOLOGY FOOT SANCTUARY & TEAHOUSE	REGULAR	2018-10-04	No		No Violations	
SOAKOLOGY FOOT SANCTUARY & TEAHOUSE	REGULAR	2019-10-15	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-101.19	Nonfood contact surfaces of equipment that requires frequent cleaning not constructed of a corrosion-resistant, nonabsorbent, and smooth material.	N
SOAKOLOGY FOOT SANCTUARY & TEAHOUSE	REGULAR	2021-09-23	No		No Violations	
SOAKOLOGY FOOT SANCTUARY & TEAHOUSE	REGULAR	2022-09-29	No	4-204.112.(A)	Temperature measuring device not properly located.	N
SOAKOLOGY FOOT SANCTUARY & TEAHOUSE	REGULAR	2023-09-27	No	7-204.11	Chemical SANITIZERS and other chemical antimicrobials applied to FOOD-CONTACT Surfaces do not meet the requirements specified in 40 CFR 180.940 or 40 CFR 180.2020 sanitizing solutions.	C
				4-302.14	No chemical test kit available.	N