

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
SKOW TOWN SLICE BAR	REGULAR	2018-09-26	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				4-903.11.(B)	Clean equipment and utensils not stored by being covered/ inverted/ or self draining.	N
				4-903.11.(A). (C)	Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used.	N
				4-101.19	Nonfood contact surfaces of equipment that requires frequent cleaning not constructed of a corrosion-resistant, nonabsorbent, and smooth material.	N
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
SKOW TOWN SLICE BAR	REGULAR	2023-07-20	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-101.19	Nonfood contact surfaces of equipment that requires frequent cleaning not constructed of a corrosion-resistant, nonabsorbent, and smooth material.	N
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-501.11	The physical facilities are in disrepair.	N
				6-304.11	Insufficient ventilation provided.	N