

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
PORTLAND PIE COMPANY	REGULAR	2018-01-05	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-101.11.(D)	Utensils or equipment food contact surfaces not smooth / easily cleanable.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
BRUNSWICK PORTLAND PIE	REGULAR	2023-10-31	Yes	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				3-305.11	Food not protected from contamination during storage.	N
				3-307.11	Food not protected from other sources of contamination.	N
				4-903.11.(B)	Clean equipment and utensils not stored by being covered/ inverted/ or self draining.	N
				4-501.11	Equipment in disrepair.	N
				4-302.14	No chemical test kit available.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.18	Plumbing Fixtures such as hand washing sinks, toilets, and urinals not cleaned as often as necessary to keep them clean.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.11	The physical facilities are in disrepair.	N
				6-501.12	The physical facilities are not clean.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				6-501.16	Mops are not being properly stored.	N
BRUNSWICK PORTLAND PIE	FOLLOW_UP_ FULL	2023-11-16	No	2-102.12	No Certified Food Protection Manager.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				3-307.11	Food not protected from other sources of contamination.	N
				4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N