

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
33 ELMWOOD	REGULAR	2019-01-23	Yes	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				4-602.11.(A)	Food contact surfaces are not cleaned between uses.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-603.11.(A)	There is no consumer advisory.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
33 ELMWOOD	REGULAR	2019-02-06	No	6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
33 ELMWOOD	REGULAR	2024-02-13	No	4-901.11.(A)	Equipment and utensils not being dried properly.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N