

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
SAINT GEORGE RIVER CAFE	REGULAR	2019-02-05	Yes	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.17.(C)	Refrigerated, Ready-to-Eat PHF ingredient or portion thereof that is combined with additional ingredients or portions of food has not retained a date marking of the earliest prepared or first-prepared ingredient.	C
				3-603.11.(A)	There is no consumer advisory.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				4-101.19	Nonfood contact surfaces of equipment that requires frequent cleaning not constructed of a corrosion-resistant, nonabsorbent, and smooth material.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
SAINT GEORGE RIVER CAFE	FOLLOW_UP_FULL	2019-02-13	No		No Violations	
SAINT GEORGE RIVER CAFE & MEETING HOUSE	REGULAR	2022-10-11	No	3-302.11.(A). (1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				4-202.16	Non-food contact surfaces are improperly designed and constructed.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
BLACK GOAT TEST KITCHEN	NEWOWNER	2023-07-20	No		No Violations	