

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
MASONS BREWING COMPANY	REGULAR	2018-07-02	No	2-402.11	Food Employees not wearing effective hair restraints.	N
				4-302.14	No chemical test kit available.	N
				6-501.12	The physical facilities are not clean.	N
MASONS BREWING COMPANY	REGULAR	2019-12-06	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-302.14	No chemical test kit available.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
MASONS BREWING COMPANY	REGULAR	2021-11-10	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				2-402.11	Food Employees not wearing effective hair restraints.	N
				6-501.12	The physical facilities are not clean.	N
MASONS BREWING COMPANY	REGULAR	2023-02-03	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				2-402.11	Food Employees not wearing effective hair restraints.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-903.11.(B)	Clean equipment and utensils not stored by being covered/ inverted/ or self draining.	N
				4-501.12	Cutting surfaces not easily cleanable.	N
				4-302.14	No chemical test kit available.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.11	The physical facilities are in disrepair.	N