

| Establishment Name                      | Insp. Type | Insp. Date | Fail? | Rule Cited               | Description of Violation   | Severity |
|---|------------|------------|-------|--------------------------|--|----------|
| SODEXO @ UMPI - PRESQUE ISLE- OWLS NEST | REGULAR    | 2019-03-13 | No    | 5-202.12                 | Hand washing facility not properly equipped/installed with hot water of at least 100 F.  | N        |
|   |            |            |       | 4-602.13                 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.                        | N        |
|   |            |            |       | 6-501.14.(A)             | Ventilation not clean.   | N        |
| SODEXO @ UMPI - PRESQUE ISLE- OWLS NEST | REGULAR    | 2022-11-10 | No    | 2-102.12                 | No Certified Food Protection Manager.  | N        |
|   |            |            |       | 2-201.11.(A)             | The person in charge failed to require food employees to submit required information.  | C        |
|   |            |            |       | 6-301.14                 | Hand wash signage not provided for employee hand sink or lavatory.   | N        |
|   |            |            |       | 3-302.11.(A).<br>(1).(A) | Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display. | N        |
|   |            |            |       | 4-703.11                 | Manual and/or mechanical methods of sanitizing incomplete.   | C        |
|   |            |            |       | 3-304.12                 | Improper between-use storage of in-use utensils.   | N        |
|   |            |            |       | 4-904.11.(A).<br>(C)     | Single service/use items are improperly handled/stored/displayed/dispensed.  | N        |
|   |            |            |       | 4-602.13                 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.                        | N        |
|   |            |            |       | 5-103.11.(B)             | Insufficient hot water supply.   | C        |
|   |            |            |       | 5-203.13                 | Inadequate number of service sinks.  | N        |