

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
MIXERS NIGHTCLUB & LOUNGE	REGULAR	2018-05-25	No	2-102.12	No Certified Food Protection Manager.	N
				2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				5-205.11.(B)	Hand washing facility being used for other than hand washing.	N
				6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				4-302.14	No chemical test kit available.	N
				6-501.11	The physical facilities are in disrepair.	N
MIXERS	NEWOWNER	2023-03-29	No	6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				3-603.11.(A)	There is no consumer advisory.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				4-302.14	No chemical test kit available.	N
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
				5-501.16.(C)	A waste receptacle is not located at each hand washing lavatory or group of adjacent lavatories when disposable towels are used.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N