

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
COFFEE ME UP	REGULAR	2018-02-20	No	5-501.17	Covered receptacle not provided. (Female use)	N
				6-501.16	Mops are not being properly stored.	N
COFFEE ME UP	REGULAR	2019-02-01	No	4-204.112.(A)	Temperature measuring device not properly located.	N
COFFEE ME UP	REGULAR	2020-02-10	No	3-501.15	Cooked foods improperly cooled.	N
				4-204.112.(A)	Temperature measuring device not properly located.	N
				3-306.11	Food on display not protected by packaging, service line, food guards, or display cases.	C
				5-501.17	Covered receptacle not provided. (Female use)	N
COFFEE ME UP	REGULAR	2022-02-16	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.17.(A). (E)	Packaged Food using Reduced Oxygen Packaging or refrigerated Ready-to-Eat PHF prepared and held in the Eating establishment for more than 24 hour not clearly dated marked according to code.	C
				3-305.11	Food not protected from contamination during storage.	N
				4-501.12	Cutting surfaces not easily cleanable.	N
COFFEE ME UP	REGULAR	2023-03-29	No	4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
COFFEE ME UP	REGULAR	2024-03-21	No		No Violations	