

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
LA QUINTA INN & SUITES	REGULAR	2018-07-18	Yes	5.B.1	Pool data sheet not posted and/or does not contain required information.	N
				3.A.3	Routine operating procedures not posted and/or available for viewing by the Department.	C
				3.G.1	Sanitizer residual and pH not recorded three times a day, one manual test not conducted, proper records of maintenance and chemicals added not maintained and/or recorded once per day, total alkalinity, calcium hardness, and cyanuric acid (if used) not being tested for and recorded once per week, water chemistry records not retained for 1 year and/or the water chemistry records not available.	C
				6.D.5	First aid kit, including barrier protection (gloves and rescue breathing), not available at all times.	C
				6.D.4	Location of the nearest telephone not posted with dialing instructions in the immediate vicinity of the public pool or spa and/or the telephone does not have posted names and numbers of the nearest available police, fire, ambulance service and/or rescue unit.	C
LA QUINTA INN & SUITES	REGULAR	2019-08-07	No	5.B.4.a.i	Circulation system does not meet turnover rate requirements for swimming pools - once every 6 hours.	N
				3.C.1	Free chlorine levels not correct and/or stabilized chlorine used in indoor pool.	C
				3.C.3	pH not correct.	C
LA QUINTA INN & SUITES (POOL)	NEWOWNER	2022-04-28	No		No Violations	
LA QUINTA INN & SUITES (POOL)	REGULAR	2022-06-29	No	3.A.5	Chemical storage areas not locked at all times.	N
				6.G.1	Valves not tagged with metal or rigid plastic tags.	N
LA QUINTA INN & SUITES (POOL)	REGULAR	2023-09-05	No	6.G.1	Valves not tagged with metal or rigid plastic tags.	N
				6.D.2	Not equipped with a light, strong pole not less than 12 feet long, including a body hook.	C
				6.D.5	First aid kit, including barrier protection (gloves and rescue breathing), not available at all times.	C