

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|------------------|--|----------|
| ITALI-AH | REGULAR | 2018-01-26 | No | 2-103.11.(J) | Person in Charge did not ensure that employees are properly sanitizing. | N |
| | | | | 5-204.11.(A) | Hand wash facilities are not conveniently located in food preparation, food dispensing, or ware washing areas. | C |
| | | | | 6-301.12 | Sanitary towels / hand drying device not provided for hand wash sink or lavatory. | N |
| | | | | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 4-903.11.(A) | Equipment, Utensils, Linens are improperly stored. | N |
| | | | | 4-501.18 | Wash, rinse, and/or sanitize solutions are not clean. | N |
| | | | | 5-501.17 | Covered receptacle not provided. (Female use) | N |
| | | | | 6-501.18 | Plumbing Fixtures such as hand washing sinks, toilets, and urinals not cleaned as often as necessary to keep them clean. | N |
| | | | | 6-201.18 | Studs, joists, and rafters are exposed in areas subject to moisture. | N |
| | | | | 6-501.16 | Mops are not being properly stored. | N |
| LIONS DEN TAVERN | REGULAR | 2019-09-12 | No | 5-205.11.(A) | Hand wash facility not accessible. | N |
| | | | | 6-301.12 | Sanitary towels / hand drying device not provided for hand wash sink or lavatory. | N |
| | | | | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 3-501.13 | Improper thawing. | N |
| | | | | 2-402.11 | Food Employees not wearing effective hair restraints. | N |
| | | | | 4-903.11.(A) | Equipment, Utensils, Linens are improperly stored. | N |
| | | | | 6-202.14 | Toilet room not enclosed, with a self closing, tight fitting door. | N |