

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
PORTLAND PULP	REGULAR	2018-09-07	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				4-501.12	Cutting surfaces not easily cleanable.	N
PORTLAND PULP	REGULAR	2019-09-06	Yes	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				2-401.11	Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result.	C
				5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				7-204.11	Chemical SANITIZERS and other chemical antimicrobials applied to FOOD-CONTACT Surfaces do not meet the requirements specified in 40 CFR 180.940 or 40 CFR 180.2020 sanitizing solutions.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-904.11.(A). (C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				4-501.11	Equipment in disrepair.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
PORTLAND PULP	FOLLOW_UP_ FULL	2019-09-16	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				4-501.11	Equipment in disrepair.	N