

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
THE WHISTLE STOP	REGULAR	2019-11-19	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-603.11.(A)	There is no consumer advisory.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				3-305.11	Food not protected from contamination during storage.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				6-501.14.(A)	Ventilation not clean.	N
THE WHISTLE STOP	REGULAR	2023-03-06	No	6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-602.12.(C)	The cavities and door seals of microwave ovens are not cleaned with proper frequency.	N
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				7-207.11.(B).(2)	Medicines that are for the employees' use are not located so as to prevent the contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.	C
				3-602.11.(A). (B)	Packaged food not properly labeled.	N
				3-305.11	Food not protected from contamination during storage.	N
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				4-501.110	The mechanical ware washing equipment wash solution temperature was too low.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N