

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
MOUNTAIN VALLEY MIDDLE SCHOOL	REGULAR	2018-01-03	No	3-305.12	Food being stored in prohibited area(s).	N
				5-202.13	Air gap required.	C
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
MOUNTAIN VALLEY MIDDLE SCHOOL	REGULAR	2019-03-25	No	2-102.11.(C). (1).(4-16)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with food handling.	C
				6-501.11	The physical facilities are in disrepair.	N
MOUNTAIN VALLEY MIDDLE SCHOOL	REGULAR	2019-11-21	No	2-102.12	No Certified Food Protection Manager.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
MOUNTAIN VALLEY MIDDLE SCHOOL	REGULAR	2022-12-09	No		No Violations	
MOUNTAIN VALLEY MIDDLE SCHOOL	REGULAR	2024-03-28	No		No Violations	