

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
THE FUSION OF WINDSOR	REGULAR	2020-07-09	Yes	2-102.12	No Certified Food Protection Manager.	N
				3-101.11	Food is adulterated, not safe or honestly presented.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-603.11.(A)	There is no consumer advisory.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				4-302.14	No chemical test kit available.	N
THE FUSION OF WINDSOR	FOLLOW_UP_FULL	2020-07-31	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-603.11.(B)	Consumer advisory does not contain proper warning of raw or undercooked animal foods.	C
				4-302.14	No chemical test kit available.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N