

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|-----------------------------------|------------|------------|-------|------------------|---|----------|
| SUSAN L CURTIS CHARITABLE FUND | REGULAR | 2018-07-24 | No | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 6-501.111.(B) | Not routinely inspecting premises for evidence of pests. | C |
| | | | | 6-202.15 | Outer openings are not protected from the entry of insects or rodents. | N |
| | | | | 3-307.11 | Food not protected from other sources of contamination. | N |
| | | | | 4-901.11.(A) | Equipment and utensils not being dried properly. | N |
| | | | | 4-501.116 | Chemical sanitizer concentration was not accurately determined by using a test kit or other device. | N |
| SUSAN L CURTIS CHARITABLE FUND | REGULAR | 2019-07-24 | No | 4.A.12 | C: Where hot water is provided the temperature exceeds 120 F. | C |
| | | | | 4.A.2.a | C: All toilet and shower facilities are not kept clean, sanitary and are not in good repair. | C |
| SUSAN L CURTIS CHARITABLE FUND | REGULAR | 2023-08-14 | No | 6-201.13.(A) | Floor and wall junctures are not enclosed and sealed. | N |
| SUSAN L CURTIS CHARITABLE FUND | REGULAR | 2023-08-14 | No | 5.B.3.a | C: Schedule II drugs are not kept under double lock. | C |