

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
SUSAN L CURTIS CHARITABLE FUND	REGULAR	2018-07-24	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-501.111.(B)	Not routinely inspecting premises for evidence of pests.	C
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				3-307.11	Food not protected from other sources of contamination.	N
				4-901.11.(A)	Equipment and utensils not being dried properly.	N
				4-501.116	Chemical sanitizer concentration was not accurately determined by using a test kit or other device.	N
SUSAN L CURTIS CHARITABLE FUND	REGULAR	2019-07-24	No	4.A.12	C: Where hot water is provided the temperature exceeds 120 F.	C
				4.A.2.a	C: All toilet and shower facilities are not kept clean, sanitary and are not in good repair.	C
SUSAN L CURTIS CHARITABLE FUND	REGULAR	2023-08-14	No	6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
SUSAN L CURTIS CHARITABLE FUND	REGULAR	2023-08-14	No	5.B.3.a	C: Schedule II drugs are not kept under double lock.	C