

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
RIVERSIDE CAMP	REGULAR	2018-07-16	No	6.A.4	N: Any documentation prepared in accordance with 6.A.3.a. and b. is not available for review by the Department upon request.	N
				5.B.4.a.b.c.d	C: No written policy authorizing those campers who are required to self-administer emergency medication.	C
				8.A.3	C: Animals kept at camp do not have proof of a current rabies vaccination.	C
				3.C.7	N: Mattresses and covers are not kept clean and in good repair.	N
				3.C.1	N: Cots and bunks are not 28 inches apart. Triple deck bunks are allowed. Upper bunks not protected.	N
				4.A.12	C: Where hot water is provided the temperature exceeds 120 F.	C
				4.A.5.a	N: Waste receptacles for sanitary napkins are not covered.	N
RIVERSIDE CAMP	REGULAR	2018-07-16	No	2-201.11.(A)	The person in charge failed to require food employees to submit required information.	C
				3-302.11.(A). (1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				4-501.114.(D). (E).(F)	Chemical solution for sanitization has not been approved or is not properly used according to manufacturer's instructions.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				4-302.14	No chemical test kit available.	N
RIVERSIDE CAMP	REGULAR	2021-07-23	No	4-501.114.(D). (E).(F)	Chemical solution for sanitization has not been approved or is not properly used according to manufacturer's instructions.	C
				5-101.11	Drinking water is not from an approved source.	C
				3-306.11	Food on display not protected by packaging, service line, food guards, or display cases.	C
				4-302.14	No chemical test kit available.	N
				4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N
RIVERSIDE CAMP	REGULAR	2021-07-23	Yes	5.A.1	C: Residential Youth Camp infirmary building not screened and protected from flies and other insects does not have a treatment area with a hand wash lavatory equipped with hot and cold running water, soap and paper towels.	C
				5.B.6.a.3	C: A record of immunization is not provided.	C
				8.A.1.b	C: Campers and staff not instructed in procedures and drills are not conducted.	C
				3.B.6	C: The operator is not maintaining free of obstruction all means of exit.	C
				4.A.3	N: Outside doors are not self-closing.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				4.B.3	C: A satisfactory water test has not been obtained within 30 days preceding the first use at camp. Additional samples may be required by the Department if unsatisfactory samples are obtained.	C
RIVERSIDE CAMP	REGULAR	2023-07-25	No	3-302.11.(A).(2)	Different types of Raw animal foods are not stored in a way to prevent cross contamination with each other during storage, preparation, holding, or display.	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
RIVERSIDE CAMP	REGULAR	2023-07-25	No	4.A.1	N: All toilet facilities, including rooms and fixtures, are not of a sanitary and cleanable design.	N