

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
WILLIAM S COHEN SCHOOL	REGULAR	2018-12-06	No	6-501.11	The physical facilities are in disrepair.	N
WILLIAM S COHEN SCHOOL	REGULAR	2019-11-15	No	2-301.14	Food employees are not cleaning their hands and exposed portions of their arms as required.	C
				6-404.11	Distressed merchandise improperly stored.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-202.13	Air gap required.	C
				6-501.11	The physical facilities are in disrepair.	N
WILLIAM S COHEN SCHOOL	REGULAR	2021-05-21	No	6-501.11	The physical facilities are in disrepair.	N
WILLIAM S COHEN SCHOOL	REGULAR	2022-03-11	No	4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				7-201.11	Improper storage of poisonous or toxic materials.	C
				4-203.12.(A)	Ambient air and/or water temperature measuring device not accurate. (Scaled Celsius and Fahrenheit)	N
				4-203.13	Pressure measuring device that displays the pressure in the water supply line for the fresh hot water sanitizing rinse is not accurate to code or within the range indicated on the manufacturer's data plate.	N
WILLIAM S COHEN SCHOOL	REGULAR	2023-03-09	No	4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.11	The physical facilities are in disrepair.	N
				6-501.14.(A)	Ventilation not clean.	N
WILLIAM S COHEN SCHOOL	REGULAR	2024-01-23	No	6-404.11	Distressed merchandise improperly stored.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
				6-501.19	Toilet room door is not closed.	N