

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
MIGUELS RESTAURANT	REGULAR	2022-12-28	Yes	2-102.12	No Certified Food Protection Manager.	N
				2-301.14	Food employees are not cleaning their hands and exposed portions of their arms as required.	C
				3-501.14.(A)	Cooked Potentially hazardous food not cooled to the proper temperature within the proper time periods per code.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				3-501.15	Cooked foods improperly cooled.	N
				4-301.11	Insufficient hot holding and/or cold holding equipment.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				2-402.11	Food Employees not wearing effective hair restraints.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				3-302.15.(A)	Fruits/vegetables not washed.	N
				4-903.11.(B)	Clean equipment and utensils not stored by being covered/ inverted/ or self draining.	N
				4-501.12	Cutting surfaces not easily cleanable.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-202.13	Air gap required.	C
				6-501.11	The physical facilities are in disrepair.	N
				6-304.11	Insufficient ventilation provided.	N
MIGUELS RESTAURANT	FOLLOW_UP_FULL	2023-01-10	No	2-301.14	Food employees are not cleaning their hands and exposed portions of their arms as required.	C
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				3-501.15	Cooked foods improperly cooled.	N
				3-305.11	Food not protected from contamination during storage.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.11	The physical facilities are in disrepair.	N