

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CROWN PARK INN	REGULAR	2019-05-06	No	5-A.(1)	Ice is not made from potable water and/or is not located, installed, operated and maintained so as to prevent contamination of the ice.	N
				2-A.(12)	The lodging establishment failed to wash, rinse and sanitize the cooking and multi-use eating and drinking tableware prior to use by succeeding guests.	C
CROWN PARK INN	REGULAR	2021-05-18	No	5-A.(1)	Ice is not made from potable water and/or is not located, installed, operated and maintained so as to prevent contamination of the ice.	N
				9-A.(8)	Lights are not shielded in the laundry areas and the linen storage facilities.	N
				9-A.(6)	No Material Safety Data Sheet available on the premises.	N
				2-A.(12)	The lodging establishment failed to wash, rinse and sanitize the cooking and multi-use eating and drinking tableware prior to use by succeeding guests.	C
				2-C.(1)	Floors, walls, ceilings, and all fixtures in toilet and bath rooms are not smooth, durable and easily cleanable.	N
QUALITY INN & SUITES	NEWOWNER	2023-12-28	No	10-B	Operating without a valid license issued by the Department.	N
				12-D	Plumbing is unacceptable.	N
				9-A.(6)	No Material Safety Data Sheet available on the premises.	N
				2-A.(1)	Sleeping rooms and bathrooms do not provide adequate lighting and/or adequate ventilation.	N
				2-A.(12)	The lodging establishment failed to wash, rinse and sanitize the cooking and multi-use eating and drinking tableware prior to use by succeeding guests.	C
				2-D.(2)	Signs requiring employees to wash their hands after using the toilet are not posted in all employee toilet rooms.	N