

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CARIBOU TECHNOLOGY CENTER	REGULAR	2019-04-08	Yes	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				5-205.11.(B)	Hand washing facility being used for other than hand washing.	N
				3-302.11.(A). (1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				4-501.114.(D). (E).(F)	Chemical solution for sanitization has not been approved or is not properly used according to manufacturer's instructions.	C
				4-501.114.(C). (2)	Quaternary ammonium compound solution concentration is too low or too high.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				3-502.12.(A)	Establishment using Reduced Oxygen packaging without controlling the growth and toxin formation of Clostridium botulinum, and the growth of Listeria monocytogenes.	C
				3-602.11.(C). (D)	Bulk food not properly labeled.	N
				3-307.11	Food not protected from other sources of contamination.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-903.11.(A)	Equipment, Utensils, Linens are improperly stored.	N
				4-302.14	No chemical test kit available.	N
				6-501.19	Toilet room door is not closed.	N
CARIBOU TECHNOLOGY CENTER	FOLLOW_UP_FULL	2019-04-23	No	2-201.11.(A)	The person in charge failed to require food employees to submit required information.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				4-501.14	Ware washing equipment not cleaned before use, at a frequency necessary to prevent recontamination, or every 24 hours.	N
				4-501.110	The mechanical ware washing equipment wash solution temperature was too low.	N
CARIBOU TECHNOLOGY CENTER	REGULAR	2022-03-11	Yes	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				4-602.12.(C)	The cavities and door seals of microwave ovens are not cleaned with proper frequency.	N
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				3-302.12	Food/ingredients containers not properly labeled.	N
				3-305.11	Food not protected from contamination during storage.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-903.11.(A)	Equipment, Utensils, Linens are improperly stored.	N
				4-904.11.(A). (C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				4-501.14	Ware washing equipment not cleaned before use, at a frequency necessary to prevent recontamination, or every 24 hours.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-202.11	Lights not shielded.	N
CARIBOU TECHNOLOGY CENTER	FOLLOW_UP_FULL	2022-03-29	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-302.14	No chemical test kit available.	N
				6-501.14.(A)	Ventilation not clean.	N