

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
LINCOLN HOUSE MOTEL INC	REGULAR	2018-08-29	No	10-A.(1).a	Guest register is incomplete.	N
				2-A.(1)	Sleeping rooms and bathrooms do not provide adequate lighting and/or adequate ventilation.	N
				2-A.(3)	Where only natural ventilation is provided, outside openings are not adequately screened.	N
				2-C.(1)	Floors, walls, ceilings, and all fixtures in toilet and bath rooms are not smooth, durable and easily cleanable.	N
LINCOLN HOUSE MOTEL INC	REGULAR	2022-05-18	No	8-A.(1)	Garbage and trash storage containers are unacceptable.	N
				9-A.(8)	Lights are not shielded in the laundry areas and the linen storage facilities.	N
				9-A.(2)	Clean linens and supplies are not properly stored in cabinets constructed to facilitate cleaning, on shelves at least 6 inches off the floor and/or in storage rooms that are kept clean.	N
				2-A.(14)	Appliances are not properly cleaned and/or not properly maintained.	N
				2-A.(9)	The floors, walls, and ceilings of bedrooms, closets, and storage areas are not clean and/or not maintained.	N
LINCOLN HOUSE MOTEL	FOLLOW_UP_FULL	2023-04-25	No		No Violations	