

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CROSS-ROADS MOTEL & RESTAURANT	REGULAR	2019-05-07	No	2-201.11.(A)	The person in charge failed to require food employees to submit required information.	C
				6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-302.11.(A). (1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				4-501.114.(A). (1)	Dishes/utensils are not being sanitized in water with the correct chlorine sanitizer concentration.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				3-602.11.(A). (B)	Packaged food not properly labeled.	N
				3-602.11.(C). (D)	Bulk food not properly labeled.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N
CROSS-ROADS RESTAURANT	REGULAR	2021-06-10	Yes	3-301.11.(A). (B).(D)	Food employees are handling ready to eat foods with bare hands.	C
				6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				5-102.14	Past water sample results are not available.	N
				3-501.13	Improper thawing.	N
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				3-305.11	Food not protected from contamination during storage.	N
				2-402.11	Food Employees not wearing effective hair restraints.	N
				4-501.11	Equipment in disrepair.	N
				4-501.116	Chemical sanitizer concentration was not accurately determined by using a test kit or other device.	N
				5-203.13	Inadequate number of service sinks.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-501.14.(A)	Ventilation not clean.	N
CROSS-ROADS RESTAURANT	FOLLOW_UP_FULL	2021-06-22	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				5-102.14	Past water sample results are not available.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				4-203.12.(A)	Ambient air and/or water temperature measuring device not accurate. (Scaled Celsius and Fahrenheit)	N
				2-402.11	Food Employees not wearing effective hair restraints.	N
				4-501.12	Cutting surfaces not easily cleanable.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-203.13	Inadequate number of service sinks.	N
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-501.14.(A)	Ventilation not clean.	N
CROSSROADS B & B	NEWOWNER	2023-05-09	No		No Violations	
CROSSROADS BNB	NEWOWNER	2023-07-13	No	6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				5-201.11	Plumbing improperly installed/maintained. (Unacceptable materials used)	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N