

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
APPALACHIAN TRAIL CAFE	REGULAR	2018-08-28	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-203.12.(B)	Ambient air and water temperature measuring device is not accurate. (Scaled to Fahrenheit)	N
				3-307.11	Food not protected from other sources of contamination.	N
				4-903.11.(A)	Equipment, Utensils, Linens are improperly stored.	N
				6-501.14.(A)	Ventilation not clean.	N
AT CAFE	NEWOWNER	2019-11-22	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-302.11.(A).(2)	Different types of Raw animal foods are not stored in a way to prevent cross contamination with each other during storage, preparation, holding, or display.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				3-305.11	Food not protected from contamination during storage.	N
APPLALACHIAN TRAIL CAFE	NEWOWNER	2021-06-22	No	2-201.11.(A)	The person in charge failed to require food employees to submit required information.	C
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-302.14	No chemical test kit available.	N
				4-501.110	The mechanical ware washing equipment wash solution temperature was too low.	N
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-501.14.(A)	Ventilation not clean.	N