

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
SAWYERS DAIRY BAR	REGULAR	2019-06-11	No	7-201.11	Improper storage of poisonous or toxic materials.	C
				4-203.13	Pressure measuring device that displays the pressure in the water supply line for the fresh hot water sanitizing rinse is not accurate to code or within the range indicated on the manufacturer's data plate.	N
				5-203.14	Backflow prevention device not installed when required.	C
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-501.11	The physical facilities are in disrepair.	N
SAWYERS DAIRY BAR	REGULAR	2023-08-25	No	3-302.11.(A). (1).(B)	Cooked Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-203.12.(B)	Ambient air and water temperature measuring device is not accurate. (Scaled to Fahrenheit)	N
				4-101.19	Nonfood contact surfaces of equipment that requires frequent cleaning not constructed of a corrosion-resistant, nonabsorbent, and smooth material.	N
				4-203.13	Pressure measuring device that displays the pressure in the water supply line for the fresh hot water sanitizing rinse is not accurate to code or within the range indicated on the manufacturer's data plate.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-203.14	Backflow prevention device not installed when required.	C
				6-501.12	The physical facilities are not clean.	N