

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
ASA ADAMS ELEMENTARY SCHOOL	REGULAR	2018-09-26	No		No Violations	
ASA ADAMS ELEMENTARY SCHOOL	REGULAR	2019-10-22	No	4-501.113	Mechanical ware washing equipment, sanitization pressure is less than 5 lbs./sq. inch or more than 30 lbs./sq. inch.	N
				3-306.13.(C)	Self-service operation not being monitored.	C
				6-404.11	Distressed merchandise improperly stored.	N
				4-501.11	Equipment in disrepair.	N
ASA ADAMS ELEMENTARY SCHOOL	REGULAR	2021-01-29	No	6-305.11	Dressing areas / rooms / lockers not provided.	N
ASA ADAMS ELEMENTARY SCHOOL	REGULAR	2021-11-10	No	5-205.11.(A)	Hand wash facility not accessible.	N
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
ASA ADAMS ELEMENTARY SCHOOL	REGULAR	2022-09-21	No	2-401.11	Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				5-501.16.(C)	A waste receptacle is not located at each hand washing lavatory or group of adjacent lavatories when disposable towels are used.	N
ASA ADAMS ELEMENTARY SCHOOL	REGULAR	2024-02-08	No		No Violations	