

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CRAIGS CLAM SHOP	REGULAR	2019-08-13	No	4-501.114.(C). (2)	Quaternary ammonium compound solution concentration is too low or too high.	C
				3-501.19.(A)	No written procedures maintained or available at the facility for food to be held with time as the only control.	C
				4-301.11	Insufficient hot holding and/or cold holding equipment.	N
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				5-202.13	Air gap required.	C
CRAIGS CLAM SHOP	REGULAR	2021-09-02	No	7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				3-307.11	Food not protected from other sources of contamination.	N
				5-103.11.(B)	Insufficient hot water supply.	C
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
				6-501.14.(A)	Ventilation not clean.	N
CRAIGS CLAM SHOP	REGULAR	2023-09-08	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				5-103.11.(B)	Insufficient hot water supply.	C
				6-501.12	The physical facilities are not clean.	N