

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CAMP NATARSWI	REGULAR	2019-07-09	No	3-302.11.(A).(2)	Different types of Raw animal foods are not stored in a way to prevent cross contamination with each other during storage, preparation, holding, or display.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				4-402.11	Unacceptable installation of equipment.	N
				4-302.14	No chemical test kit available.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
CAMP NATARSWI	REGULAR	2019-07-09	No	4.D.1	N: Plumbing and sewage disposal do not comply with the State of Maine Internal Plumbing Code, Maine Subsurface Wastewater Disposal Rules and local rules.	N
CAMP NATARSWI	REGULAR	2021-07-22	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-302.14	No chemical test kit available.	N
				5-203.13	Inadequate number of service sinks.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
CAMP NATARSWI	REGULAR	2021-07-22	No	4.A.12	C: Where hot water is provided the temperature exceeds 120 F.	C