

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited         | Description of Violation  | Severity |
|--------------------|------------|------------|-------|--------------------|---|----------|
| THE CABIN          | REGULAR    | 2019-11-19 | No    | 3-501.16.(A).(2)   | PHF not maintained at 41 F or less.   | C        |
|                    |            |            |       | 4-203.12.(B)       | Ambient air and water temperature measuring device is not accurate. (Scaled to Fahrenheit )   | N        |
|                    |            |            |       | 3-305.11           | Food not protected from contamination during storage.   | N        |
|                    |            |            |       | 4-903.11.(A)       | Equipment, Utensils, Linens are improperly stored.  | N        |
|                    |            |            |       | 4-903.11.(D)       | Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.  | N        |
|                    |            |            |       | 4-101.11.(D)       | Utensils or equipment food contact surfaces not smooth / easily cleanable.  | N        |
|                    |            |            |       | 4-602.13           | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.   | N        |
|                    |            |            |       | 6-201.11           | Floors, walls, and ceilings are not smooth and easily cleanable.  | N        |
|                    |            |            |       | 6-201.17           | Walls and ceiling attachments are not easily cleanable.   | N        |
| THE CABIN          | REGULAR    | 2021-10-28 | No    | 6-301.14           | Hand wash signage not provided for employee hand sink or lavatory.  | N        |
|                    |            |            |       | 4-204.112.(D)      | Temperature measuring devices are not easily readable.  | N        |
|                    |            |            |       | 3-305.11           | Food not protected from contamination during storage.   | N        |
|                    |            |            |       | 4-903.11.(D)       | Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.  | N        |
|                    |            |            |       | 6-202.14           | Toilet room not enclosed, with a self closing, tight fitting door.  | N        |
|                    |            |            |       | 6-501.14.(A)       | Ventilation not clean.  | N        |
| THE CABIN          | REGULAR    | 2023-04-07 | No    | 7-102.11           | Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material. | C        |
|                    |            |            |       | 4-204.112.(B). (C) | Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.   | N        |
|                    |            |            |       | 6-202.15           | Outer openings are not protected from the entry of insects or rodents.  | N        |
|                    |            |            |       | 3-305.11           | Food not protected from contamination during storage.   | N        |
|                    |            |            |       | 4-501.11           | Equipment in disrepair.   | N        |
|                    |            |            |       | 4-602.13           | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.   | N        |
|                    |            |            |       | 6-202.14           | Toilet room not enclosed, with a self closing, tight fitting door.  | N        |
|                    |            |            |       | 5-501.114          | Drain plugs are not in place in receptacles.  | N        |
|                    |            |            |       | 6-501.11           | The physical facilities are in disrepair.   | N        |

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation   | Severity |
|--------------------|------------|------------|-------|------------|--|----------|
|                    |            |            |       | 6-501.114  | The premises is littered / unnecessary equipment and articles present. | N        |
|                    |            |            |       | 6-501.12   | The physical facilities are not clean.                                 | N        |