

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
THE TASTE OF MAINE	REGULAR	2018-04-06	No	2-102.12	No Certified Food Protection Manager.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				3-305.11	Food not protected from contamination during storage.	N
				4-903.11.(A). (C)	Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used.	N
				4-101.11.(D)	Utensils or equipment food contact surfaces not smooth / easily cleanable.	N
				4-101.19	Nonfood contact surfaces of equipment that requires frequent cleaning not constructed of a corrosion-resistant, nonabsorbent, and smooth material.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
THE TASTE OF MAINE	REGULAR	2020-10-22	No	4-302.14	No chemical test kit available.	N
				5-103.11.(B)	Insufficient hot water supply.	C
				6-501.11	The physical facilities are in disrepair.	N
THE TASTE OF MAINE	REGULAR	2022-10-06	No	3-301.11.(A). (B).(D)	Food employees are handling ready to eat foods with bare hands.	C
				6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				3-305.11	Food not protected from contamination during storage.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-903.11.(A)	Equipment, Utensils, Linens are improperly stored.	N
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				4-502.11.(A)	Utensils not maintained.	N
				6-501.14.(A)	Ventilation not clean.	N