

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited       | Description of Violation  | Severity |
|--------------------|------------|------------|-------|------------------|---|----------|
| HOULTON SOUTHSIDE  | REGULAR    | 2018-01-10 | No    | 3-305.11         | Food not protected from contamination during storage.   | N        |
|                    |            |            |       | 6-202.11         | Lights not shielded.  | N        |
| HOULTON SOUTHSIDE  | REGULAR    | 2018-10-19 | No    | 5-205.15         | Plumbing system not properly maintained in good repair.   | C        |
|                    |            |            |       | 6-202.11         | Lights not shielded.  | N        |
| HOULTON SOUTHSIDE  | REGULAR    | 2019-10-23 | No    | 5-205.15         | Plumbing system not properly maintained in good repair.   | C        |
|                    |            |            |       | 6-201.11         | Floors, walls, and ceilings are not smooth and easily cleanable.  | N        |
| HOULTON SOUTHSIDE  | REGULAR    | 2021-01-13 | No    | 6-201.11         | Floors, walls, and ceilings are not smooth and easily cleanable.  | N        |
| HOULTON SOUTHSIDE  | REGULAR    | 2021-12-09 | No    | 3-302.11.(A).(4) | Food subject to cross-contamination from dirty and unsanitized equipment or utensils.   | N        |
|                    |            |            |       | 4-903.11.(A).(C) | Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used. | N        |
|                    |            |            |       | 4-302.14         | No chemical test kit available.   | N        |
| HOULTON SOUTHSIDE  | REGULAR    | 2023-01-24 | No    | 5-202.12         | Hand washing facility not properly equipped/installed with hot water of at least 100 F.   | N        |
|                    |            |            |       | 6-201.11         | Floors, walls, and ceilings are not smooth and easily cleanable.  | N        |
| HOULTON SOUTHSIDE  | REGULAR    | 2023-12-12 | No    | 4-903.11.(A).(C) | Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used. | N        |