

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
MT VIEW COMPLEX	REGULAR	2019-01-07	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
MT VIEW COMPLEX	REGULAR	2020-01-23	No	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				3-302.11.(A). (1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				4-501.114.(C). (2)	Quaternary ammonium compound solution concentration is too low or too high.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				5-103.12	Water not under pressure provided to all fixtures, equipment, and non-food equipment that is to use water.	N
MT VIEW COMPLEX	REGULAR	2022-06-03	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
MT VIEW COMPLEX	REGULAR	2023-01-30	No	7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N