

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
ST JAMES SCHOOL	REGULAR	2018-01-22	No		No Violations	
ST JAMES SCHOOL	REGULAR	2018-11-05	No		No Violations	
ST JAMES SCHOOL	REGULAR	2019-11-06	No		No Violations	
ST JAMES SCHOOL	REGULAR	2022-04-08	No		No Violations	
ST JAMES SCHOOL	REGULAR	2022-11-02	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				7-204.11	Chemical SANITIZERS and other chemical antimicrobials applied to FOOD-CONTACT Surfaces do not meet the requirements specified in 40 CFR 180.940 or 40 CFR 180.2020 sanitizing solutions.	C
				4-501.116	Chemical sanitizer concentration was not accurately determined by using a test kit or other device.	N
ST JAMES SCHOOL	REGULAR	2023-11-17	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-305.11	Food not protected from contamination during storage.	N