

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
TWIN CITY CAFE	REGULAR	2019-03-06	No	2-102.12	No Certified Food Protection Manager.	N
				7-204.11	Chemical SANITIZERS and other chemical antimicrobials applied to FOOD-CONTACT Surfaces do not meet the requirements specified in 40 CFR 180.940 or 40 CFR 180.2020 sanitizing solutions.	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.114	The premises is littered / unnecessary equipment and articles present.	N
TWIN CITY CAFE	REGULAR	2022-03-10	No	6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				7-204.11	Chemical SANITIZERS and other chemical antimicrobials applied to FOOD-CONTACT Surfaces do not meet the requirements specified in 40 CFR 180.940 or 40 CFR 180.2020 sanitizing solutions.	C
				4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.11	The physical facilities are in disrepair.	N