

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
MAPLETON DINER	REGULAR	2019-05-22	No	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				3-201.11.(A)	Food obtained from sources that do not comply with law.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				3-302.12	Food/ingredients containers not properly labeled.	N
MAPLETON DINER	NEWOWNER	2023-05-31	No	5-204.11.(A)	Hand wash facilities are not conveniently located in food preparation, food dispensing, or ware washing areas.	C
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-602.12.(C)	The cavities and door seals of microwave ovens are not cleaned with proper frequency.	N
				5-203.13	Inadequate number of service sinks.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
Mapleton Diner dba WOK & ROLL	REGULAR	2023-08-24	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-302.11.(A). (1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				3-601.12.(D)	Food presented for consumption not honestly presented due to added unidentified monosodium glutamate.	N
				3-602.11.(C). (D)	Bulk food not properly labeled.	N
				3-305.11	Food not protected from contamination during storage.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C