

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
KENNEBUNKPORT CONSOLIDATED SCHOOL	REGULAR	2018-10-17	No	4-202.16	Non-food contact surfaces are improperly designed and constructed.	N
KENNEBUNKPORT CONSOLIDATED SCHOOL	REGULAR	2019-10-10	No		No Violations	
KENNEBUNKPORT CONSOLIDATED SCHOOL	REGULAR	2022-05-02	No	6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
KENNEBUNKPORT CONSOLIDATED SCHOOL	REGULAR	2022-11-22	No	3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				5-203.13	Inadequate number of service sinks.	N
KENNEBUNKPORT CONSOLIDATED SCHOOL	REGULAR	2023-10-19	No	3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.19.(A)	No written procedures maintained or available at the facility for food to be held with time as the only control.	C
				6-201.18	Studs, joists, and rafters are exposed in areas subject to moisture.	N
				6-501.11	The physical facilities are in disrepair.	N
				6-501.12	The physical facilities are not clean.	N