

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
ALOUETTE BEACH RESORT	REGULAR	2022-10-06	No	4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N
				4-603.16	Correct rinsing procedures not being followed.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
ALOUETTE BEACH RESORT	REGULAR	2022-10-06	No	2-B.(2)	The furniture, fixtures, draperies, and other accessories in common areas associated with sleeping rooms are not clean and/or not properly maintained.	N
				2-C.(1)	Floors, walls, ceilings, and all fixtures in toilet and bath rooms are not smooth, durable and easily cleanable.	N
ALOUETTE BEACH RESORT	REGULAR	2022-10-06	No	5.B.2	Flow meter not installed and/or is not accurate.	N
				3.G.1	Sanitizer residual and pH not recorded three times a day, one manual test not conducted, proper records of maintenance and chemicals added not maintained and/or recorded once per day, total alkalinity, calcium hardness, and cyanuric acid (if used) not being tested for and recorded once per week, water chemistry records not retained for 1 year and/or the water chemistry records not available.	C