

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
BINGAS WINGAS	REGULAR	2019-04-17	Yes	6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				5-205.11.(A)	Hand wash facility not accessible.	N
				4-602.11.(C)	Potentially hazardous food contact surfaces are not cleaned with proper frequency. At least every 4 hours.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-501.114.(C). (2)	Quaternary ammonium compound solution concentration is too low or too high.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				5-205.15	Plumbing system not properly maintained in good repair.	C
				5-501.114	Drain plugs are not in place in receptacles.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.11	Lights not shielded.	N
BINGAS WINGAS	FOLLOW_UP_FULL	2019-05-01	No		No Violations	
BINGAS WINGAS	REGULAR	2023-04-19	Yes	5-205.11.(A)	Hand wash facility not accessible.	N
				3-202.15	Food packages are not in good condition and do not protect the integrity of the contents.	C
				4-602.11.(C)	Potentially hazardous food contact surfaces are not cleaned with proper frequency. At least every 4 hours.	C
				3-501.18.(A)	PHF, Ready-to-Eat food not discarded when food exceeds temperature and time combination as specified in 3-501.17.(A).	C
				8-201.13	Permit Holder did not submit required HACCP plans to the Regulatory Authority for approval when required before engaging in that activity.	N
				4-204.115	Ware washing machine not properly equipped with temperature measuring devices.	N
				5-103.12	Water not under pressure provided to all fixtures, equipment, and non-food equipment that is to use water.	N
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.12	The physical facilities are not clean.	N