

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
BENTON ELEMENTARY SCHOOL	REGULAR	2018-01-09	No	4-501.113	Mechanical ware washing equipment, sanitization pressure is less than 5 lbs./sq. inch or more than 30 lbs./sq. inch.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-501.11	The physical facilities are in disrepair.	N
				6-501.14.(A)	Ventilation not clean.	N
BENTON ELEMENTARY SCHOOL	REGULAR	2018-11-07	No	3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				3-302.15.(A)	Fruits/vegetables not washed.	N
BENTON ELEMENTARY SCHOOL	REGULAR	2019-09-06	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				6-404.11	Distressed merchandise improperly stored.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-501.11	Equipment in disrepair.	N
				6-501.11	The physical facilities are in disrepair.	N
BENTON ELEMENTARY SCHOOL	REGULAR	2021-04-02	No	4-501.113	Mechanical ware washing equipment, sanitization pressure is less than 5 lbs./sq. inch or more than 30 lbs./sq. inch.	N
				3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				6-501.11	The physical facilities are in disrepair.	N
BENTON ELEMENTARY SCHOOL	REGULAR	2022-01-11	No	4-501.113	Mechanical ware washing equipment, sanitization pressure is less than 5 lbs./sq. inch or more than 30 lbs./sq. inch.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-501.11	Equipment in disrepair.	N
				6-501.11	The physical facilities are in disrepair.	N