

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
POMEGRANATE INN	REGULAR	2018-02-14	No	2-C.(1)	Floors, walls, ceilings, and all fixtures in toilet and bath rooms are not smooth, durable and easily cleanable.	N
POMEGRANATE INN	REGULAR	2018-02-14	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-101.11.(D)	Utensils or equipment food contact surfaces not smooth / easily cleanable.	N
POMEGRANATE INN	REGULAR	2019-02-07	No	4-204.112.(B).(C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				3-306.11	Food on display not protected by packaging, service line, food guards, or display cases.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
POMEGRANATE INN	REGULAR	2019-02-07	No		No Violations	
POMEGRANATE INN	REGULAR	2020-02-24	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-204.112.(B).(C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				3-306.11	Food on display not protected by packaging, service line, food guards, or display cases.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
POMEGRANATE INN	REGULAR	2020-02-24	No	8-A.(2)	The premises is in unacceptable condition.	N
POMEGRANATE INN	REGULAR	2022-05-26	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-501.114	The premises is littered / unnecessary equipment and articles present.	N
POMEGRANATE INN	REGULAR	2022-05-26	No		No Violations	