

| Establishment Name   | Insp. Type | Insp. Date | Fail? | Rule Cited                    | Description of Violation   | Severity |
|----------------------|------------|------------|-------|-------------------------------|--|----------|
| INLAND HOSPITAL CAFE | REGULAR    | 2018-05-02 | Yes   | 2-102.11.(C).<br>(2).(3).(17) | Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health. | C        |
|                      |            |            |       | 2-301.12                      | Food employees are not following proper hand cleaning procedures.  | C        |
|                      |            |            |       | 5-202.12                      | Hand washing facility not properly equipped/installed with hot water of at least 100 F.                              | N        |
|                      |            |            |       | 4-601.11.(A)                  | Equipment food-contact surfaces and utensils are not clean to sight and touch.                                       | C        |
|                      |            |            |       | 4-703.11                      | Manual and/or mechanical methods of sanitizing incomplete.   | C        |
|                      |            |            |       | 3-501.16.(A).(1)              | Hot foods not maintained at a proper temperature of 135 F or more.   | C        |
|                      |            |            |       | 3-501.16.(A).(2)              | PHF not maintained at 41 F or less.  | C        |
| INLAND HOSPITAL CAFE | REGULAR    | 2023-10-06 | No    | 4-203.12.(A)                  | Ambient air and/or water temperature measuring device not accurate. (Scaled Celsius and Fahrenheit)                  | N        |
|                      |            |            |       | 3-305.11                      | Food not protected from contamination during storage.  | N        |
|                      |            |            |       | 6-501.11                      | The physical facilities are in disrepair.  | N        |