

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
SUBWAY	REGULAR	2018-04-11	No	4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				6-501.11	The physical facilities are in disrepair.	N
SUBWAY	REGULAR	2021-09-15	No	4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
SUBWAY	REGULAR	2023-01-09	No	4-501.114.(C).(2)	Quaternary ammonium compound solution concentration is too low or too high.	C
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-501.11	Equipment in disrepair.	N
SUBWAY	NEWOWNER	2023-07-06	No	5-205.11.(A)	Hand wash facility not accessible.	N
				4-501.114.(A).(2)	Chlorine solution temperature is too low.	C
				6-501.16	Mops are not being properly stored.	N