

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
JOSHUAS RESTAURANT & TAVERN	REGULAR	2022-07-26	No	5-205.11.(A)	Hand wash facility not accessible.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-203.12.(A)	Ambient air and/or water temperature measuring device not accurate. (Scaled Celsius and Fahrenheit)	N
				3-305.11	Food not protected from contamination during storage.	N
				4-501.12	Cutting surfaces not easily cleanable.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.114	The premises is littered / unnecessary equipment and articles present.	N
				6-501.12	The physical facilities are not clean.	N
JOSHUAS RESTAURANT & TAVERN	FOLLOW_UP_FULL	2022-08-09	No	3-301.11.(A). (B).(D)	Food employees are handling ready to eat foods with bare hands.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-204.115	Ware washing machine not properly equipped with temperature measuring devices.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.114	The premises is littered / unnecessary equipment and articles present.	N
				6-501.12	The physical facilities are not clean.	N
JOSHUAS RESTAURANT & TAVERN	REGULAR	2022-09-16	No	6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N