

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|-----------------------|---|----------|
| HOWIES PUB | REGULAR | 2018-02-02 | No | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |
| | | | | 4-204.112.(B). (C) | Cold or hot holding not equipped with integral or permanently fixed temperature measuring device. | N |
| | | | | 6-202.13 | Insect control devices are improperly designed and constructed / located. | N |
| | | | | 4-601.11.(C) | Nonfood contact surfaces are not clean. | C |
| | | | | 5-502.11 | Refuse, recyclables, and returnables not removed from the premises at a frequency that will minimize odors or attract or harbor insects and rodents. | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |
| | | | | 6-303.11 | Insufficient lighting provided. | N |
| HOWIES PUB | REGULAR | 2018-10-19 | No | 3-501.17.(D) | Date marking system used at the Eating Establishment does not meet the criteria list in code. | C |
| | | | | 7-102.11 | Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material. | C |
| | | | | 4-602.13 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues. | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |
| | | | | 6-303.11 | Insufficient lighting provided. | N |
| HOWIES PUB | REGULAR | 2019-04-05 | No | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| HOWIES PUB | REGULAR | 2019-10-08 | No | 4-204.112.(A) | Temperature measuring device not properly located. | N |
| | | | | 4-602.13 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues. | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |
| HOWIES PUB | REGULAR | 2021-09-23 | No | 3-202.15 | Food packages are not in good condition and do not protect the integrity of the contents. | C |
| | | | | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |
| | | | | 4-204.112.(B). (C) | Cold or hot holding not equipped with integral or permanently fixed temperature measuring device. | N |
| | | | | 4-601.11.(C) | Nonfood contact surfaces are not clean. | C |
| | | | | 5-502.11 | Refuse, recyclables, and returnables not removed from the premises at a frequency that will minimize odors or attract or harbor insects and rodents. | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |
| | | | | 6-501.14.(A) | Ventilation not clean. | N |
| HOWIES PUB | REGULAR | 2023-01-17 | No | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|--------------------------|--|----------|
| | | | | 4-204.112.(B). (C) | Cold or hot holding not equipped with integral or permanently fixed temperature measuring device. | N |
| | | | | 4-602.13 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues. | N |
| | | | | 5-501.17 | Covered receptacle not provided. (Female use) | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |
| HOWIES PUB | REGULAR | 2024-02-08 | Yes | 3-301.11.(A). (B).(D) | Food employees are handling ready to eat foods with bare hands. | C |
| | | | | 3-302.11.(A). (1).(A) | Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display. | N |
| | | | | 4-501.114.(A). (1) | Dishes/utensils are not being sanitized in water with the correct chlorine sanitizer concentration. | C |
| | | | | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |
| | | | | 3-403.11.(A) | PHF not properly reheated to 165 F for 15 seconds for hot holding. | C |
| | | | | 4-301.11 | Insufficient hot holding and/or cold holding equipment. | N |
| | | | | 4-204.112.(A) | Temperature measuring device not properly located. | N |
| | | | | 4-302.12.(A) | Inadequate number of food temperature measuring devices provided. | N |
| | | | | 6-501.114 | The premises is littered / unnecessary equipment and articles present. | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |